



PERIPHERAL SURFACE GRINDING

Surface grinding with straight or recessed wheels on machines with a rotating or reciprocating table results in larger contact area than in cylindrical grinding. Therefore, it is necessary to use softer grade wheels, particularly when large diameter and/or wide wheels are used.

When grinding a large number of components, the grinding is not continuous. In this case, the components tend to dress the wheel, so a harder grade wheel should be used.



Recommendations

Wheel diameter		180~205mm		255~355mm		405~510mm	610mm~
Contact area		Broad Contact	Narrow Contact	Broad Contact	Interrupted Cut	Standard	Standard
Material			Interrupted Cut				
Soft Steel (Unhardened Steel)		WA46-K8V WA60-K8V	WA46-K8V WA60-K8V	WA46-J8V WA46-K8V	WA46-K8V WA60-K8V	WA36-K8V WA46-K8V	WA36-K8V WA46-J8V
Alloy Steel (Hardened)		93A46-H10V 3KG46-JV	93A60-H9V 3KG60-GV	93A46-H10V 3KG46-GV	93A46-H8V 3KG46-GV	93A46-H10V 5KG46-GV	93A46-H12V 5KG-46GV
High-Speed Steel (Hardened)		32A46-H12VP 93A46-H10V 3KG46-IV	93A60-H10V 3KG60-IV	93A46H-10V 3KG46-GV	93A46-H8V 3KG46-GV	93A46-H12VP 3KG46-G12VP	93A36-H12VP 3KG46-G12VP
Stainless Steel	400Series	WA46-G10V	WA46-J8V	WA46-G12V	WA46-G10V	WA60-G10V	WA36-G12VP
	300Series	GC46-G12V	GC46-I10V	GC36-I10V	GC46-H12VP	GC36-H12VP	GC30-H12VP
Chromium-Plated Material		93A60-H10V 3KG60-G12V		93A60-G12V		93A60-H10V	
Cast Iron	Ordinary	C46-J6V	C46-J8V	C46-J6V		C36-I6V	C36H-12VP
	Special	GC46-J9V	C46-J6V	GC46-J9V		GC36-I10V	GC36-H12VP
Non-Ferrous Metals		C36-H6V	C46-H6V C46-H6V	C36-H6V		C36-H6V	C36-H6V
Tungsten Carbide		GC90-H9V	—	—		—	—

Note: 1. **3KG & 5KG** are micro- crystalline abrasive, used primarily for precision grinding of difficult-to-grind steels and well defined cutting edges, a cool cut and excellent shape retention.

2. Finer grits for improved surface finishes are available on request.

KFB wheels: For surface super finishing.

Standard Size		Specifications
7" x 1/4" x 1-1/4"	180 x 6 x 31.75mm	GC2000-H12B
7" x 3/8" x 1-1/4"	180 x 10 x 31.75mm	GC4000-H12B
7" x 1/2" x 1-1/4"	180 x 13 x 31.75mm	
8" x 1/2" x 1-1/4"	205 x 13 x 31.75mm	
8" x 3/4" x 1-1/2"	205 x 19 x 38.1mm	
12" x 1" x 5"	305 x 25 x 127mm	

KFB wheels can meet your requirements in mirror finishing for plastic injection mould & precise automatic press-mould of electronic spare parts.

For all type of tool steel

Shape	Size D x T x H	WA & MA		32A · 93A & PSA		KG - Ceramic Grain		Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code	Spec.	Products Code		
1	150 x 3 x 31.75mm 6" x 1/8" x 1-1/4"	WA120-K8V WA180-K8V WA220-L8V		32A120-K8V 32A180-K8V9Y 32A220-L8V				4,244	20/10
1	150 x 6 x 31.75mm 6" x 1/4" x 1-1/4"	WA120-K8V7N WA180-K8V WA220-L8V		32A120-K8V9G 32A180-K8V 32A220-K8V3B				4,244	20/10
1	150 x 13 x 31.75mm 6" x 1/2" x 1-1/4"	WA46-K8V7N WA60-K8V7N WA80-K8V7N WA120-K8V7N		32A46-K8V7N 32A60-K8V7N 32A80-J8V9G		5KG46-KV 5KG60-KV		4,244	10
1	180 x 3 x 31.75mm 7" x 1/8" x 1-1/4"	WA80-K8V7N WA100-K8V7N MA100-K8V9Y MA120-K6V9Y MA180-K8V9Y	YVY52029- YVZ52053- YVM52005-	32A120-K7V9N 32A180-K8V9G 32A220-L8V3N	YVH52034- YVH52035- YVH52036-			3,600	20
1	180 x 4.5 x 31.75mm 7" x 3/16" x 1-1/4"	MA100-K8V9Y MA120-K8V9Y MA180-K8V9Y MA220-K8V9Y MA500-K9V9Y						3,600	10
1	180 x 6 x 31.75mm 7" x 1/4" x 1-1/4"	WA46-K8V9N WA60-K8V9N WA80-K8V9N WA100-K8V9N WA120-K8V9N MA100-K8V9Y MA120-K8V9Y MA180-K8V9Y MA220-K8V9Y	YVW52004- YVX52004- YVY52004- YVZ52012- YVZ52005- YVH52902- YVZ52057- YVH52063- YVH32904-	32A120-K7V7N 32A180-K8V3W 32A220-L8V3W PSA120-L6V3WF PSA320-K6V3WF PSA320-K7V3WF PSA320-K9V9Y PSA500-J6V3WF	YVH52001- YVH52006- YVH32002- YVVS52142- YVVS52141- YVVS52095- YVVS42902- YVVS52143-	5KG46-KV 5KG60-JV 5KG60-KV 5KG80-JV 5KG100-JV		3,600	10
1	180 x 8 x 31.75mm 7" x 5/16" x 1-1/4"	WA60-K8V7N WA80-K8V9N WA100-K8V9N WA120-K8V7N	YVX52003- YVY52005- YVZ52008- YVZ52032-					3,600	10
1	180 x 10 x 31.75mm 7" x 3/8" x 1-1/4"	WA46-K8V9N WA60-K8V9N WA80-K8V9N WA100-K8V9N WA120-K8V9N	YVW52009- YVX52009- YVY52006- YVZ52006- YVZ52007-	32A46-H8V 32A46-K8V 32A60-H8V 32A60-I8V 32A60-K8V 32A80-K8V9G				3,600	10
1	180 x 13 x 31.75mm 7" x 1/2" x 1-1/4"	WA46-H10V7N WA46-I8V9N WA46-J8V9N WA46-K8V9N WA60-H10V WA60-I8V9N WA60-J8V WA60-K8V9N WA80-K8V9N WA100-K8V9N WA120-K8V9N MA46K8V9Y MA60K8V9Y MA80K8V9Y	YVW52007- YVW52003- YVX52002- YVY52007- YVZ52002- YVZ52011-	32A46-HV10 9GP3 32A46-IV8 7L 32A46-JV8 7N 32A46-KV8 9G 32A60-HV8 7N 32A60-IV8 9G 32A60-JV8 7N 32A60-KV8 7G 93A46-H11V9N 93A60-H11V9N 32A46H7V7N 32A60H10V8SP3	YVR52006- YVR52016-	5KG46-H11V9B 5KG46-K10V9B 5KG60-J9V9B 5KG80-JV8 9B 5KG80-KV8 9B 5KG100-KV8 7C 3KG46-HV8 7E 3KG60-HV10 9B	YVK52008- YVK52012- YVK52020-	3,600	5

For all type of tool steel

Shape	Size D x T x H	WA & MA		32A · 93A & PSA		KG - Ceramic Grain		Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code	Spec.	Products Code		
1	180 x 16 x 31.75mm 7" x 5/8" x 1-1/4"	WA46-K8V9N WA60-K8V9N WA80-K8V9N	YVW52014- YVW52021- YVW52012-	32A46-H10V9GP3 93A46-H11V9N	YVH62001- YVR52007-			3,600	5
1	180 x 19 x 31.75mm 7" x 3/4" x 1-1/4"	WA46-H8V WA46-I8V7N WA46-J8V9N WA60-K8V7N WA80-K8V7N		32A46-GV 32A46-HV 32A46-IV 32A46-JV 32A46-KV 32A60-KV9G 32A80-KV		5KG46-IV 5KG46-KV 5KG60-JV 5KG60-KV		3,600	5
5	180 x 19 x 31.75mm (R1S. 100 x 6) 7" x 3/4" x 1-1/4" (R1S. 4" x 1/4")	WA46-K8V9N WA60-K8V9N WA80-K8V9N	YWW52001- YWW52002- YWY52002-	32A46-H10V9GP3 32A46-IV 32A46-JV 32A60-IV 32A60-JV 93A46-H11V9N	YWR52004-	5KG46-IV 5KG60-IV		3,600	5
5	180 x 25 x 31.75mm (R1S. 100 x 12) 7" x 1" x 1-1/4" (R1S. 4" x 1/2")	WA46-K8V9N WA60-J8V9N WA60-K8V9N WA80-K8V9N MA60-K8V9Y	YWW52002- YWX52001- YWX52007- YWY52001-	32A46-H10V9GP3 32A46-IV 32A46-JV 32A46-KV 32A60-IV 93A46-H11V9N	YWH52001- YWR52009-	5KG46-IV 5KG46-JV 5KG60-JV		3,600	5
5	180 x 32 x 31.75mm (R1S. 100 x 16) 7" x 1-1/4" x 1-1/4" (R1S. 4" x 5/8")	WA46-K8V9N WA60-J8V9N WA46-J8V9N WA80-K8V7N	YWW52004- YWX52009- YWY52005-	32A46-HV 32A46-IV 32A60-JV 32A46-JV 93A46-H11V9N 93A60H8V7N	YWR52010- YWR52037-			3,600	5
1	205 x 3 x 31.75mm 8" x 1/8" x 1-1/4"	WA60-K8V7L WA80-K8V9N						3,600	20
1	205 x 6 x 31.75mm 8" x 1/4" x 1-1/4"	WA46-K8V9N WA60-K8V9N WA80-K8V9N WA100-K8V9N WA120-K8V9N	YVW53064- YVX53024- YVY53015- YVZ53007- YVZ53017-	32A46-KV 32A60-KV 32A80-KV 32A100-KV		5KG60-KV 5KG80-KV		3,600	10
1	205 x 10 x 31.75mm 8" x 3/8" x 1-1/4"	WA46-K8V9N WA60-K8V WA80-K8V9N WA100-K8V WA120-K8V9N	YVW53069- YVY53006- YVZ53025-	32A46-KV 32A60-KV 32A80-KV 32A100-KV		5KG60-KV 5KG80-KV		3,600	10
1	205 x 13 x 31.75mm 8" x 1/2" x 1-1/4"	WA46-HV7N WA46-IV7N WA46-JV9N WA46-K8V9N WA60-JV7N WA60-K8V9N WA80-K8V9N WA100-K8V9N WA120-K8V9N MA60K8V9Y MA80K8V9Y	YVW53021- YVX53017- YVY53003- YVZ53004- YVZ53003-	32A46-H10V9NP3 32A46-IV 32A46-JV 32A46-KV 32A60-JV 32A60-KV 32A80-KV 32A100-KV 32A120-KV 93A46-H11V9N	YVH63037-	5KG46-GV 5KG46-HV 5KG46-JV 5KG46-KV 5KG60-JV 5KG60-KV 5KG80-JV 5KG80-KV		3,600	10
1	205 x 16 x 31.75mm 8" x 5/8" x 1-1/4"	WA46K-8V9N WA60K-8V9N WA80K-8V9N	YVW53002-					3,600	10
1	205 x 19 x 31.75mm 8" x 3/4" x 1-1/4"	WA46-HV WA46-IV WA46-JV7N WA46-KV9N WA60-JV9N		32A46-HV 32A46-IV 32A46-JV 32A60-HV 32A60-IV		3KG46-JV 5KG46-JV 5KG60-JV		3,600	10

For all type of tool steel

Shape	Size D x T x H	WA & MA		32A · 93A & PSA		KG - Ceramic Grain		Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code	Spec.	Products Code		
5	205 x 19 x 31.75mm (R1S. 100 x 6) 8" x 3/4" x 1-1/4" (R1S. 4" x 1/4")	WA46-HV WA46-IV WA46-JV WA46-K8V9N WA60-IV WA80-K8V9N WA60-K8V9N	YWW53004- YWY53002- YWX53007-	32A46-HV 32A46-IV 32A46-JV 32A60-HV 32A60-IV 32A60-JV 93A46-H11V		3KG46-JV 5KG46-JV 5KG60-JV		3,600	10
5	205 x 25 x 31.75mm (R1S. 100 x 12) 8" x 1" x 1-1/4" (R1S. 4" x 1/2")	WA46-HV WA46-IV WA46-JV WA46-K8V9N WA60-IV WA60-JV WA60-K8V9N	YWW53001- YWX53008-	32A46-HV 32A46-IV 32A46-JV 32A60-IV 32A60-JV		3KG46-IV 5KG46-IV 5KG46-JV 5KG60-IV 5KG60-JV		3,600	10
5	205 x 32 x 31.75mm (R1S. 100 x 16) 8" x 1-1/4" x 1-1/4" (R1S. 4" x 5/8")	WA46-HV WA46-IV WA46-JV WA46-K8V9N WA60-IV WA60-JV WA60-K8V9N WA80-K8V	YWW53006- YWX53014- YWY53003-	32A46-HV 32A46-IV 32A46-JV 32A60-IV 32A60-JV		3KG46-IV 3KG46-JV 5KG46-IV 5KG60-JV 5KG60-IV 5KG60-JV		3,600	5
1	255 x 6 x 76.2mm 10" x 1/4" x 3"	WA80-KV						2,497	10
1	255 x 13 x 76.2mm 10" x 1/2" x 3"	WA46-KV WA60-KV						2,497	10
1	255 x 19 x 76.2mm 10" x 3/4" x 3"	WA46-KV WA46-KV WA60-IV		32A46-HV 32A46-IV 32A60-IV				2,497	10
1	255 x 25 x 76.2mm 10" x 1" x 3"	WA46-HV WA46-IV WA46-JV WA46-KV WA60-IV WA60-JV WA60-KV		32A46-HV 32A46-IV 32A46-JV 32A46-KV 32A60-IV 32A60-JV		3KG46-HV 3KG46-JV 3KG46-KV 5KG46-HV 5KG46-JV 5KG60-IV 5KG60-JV		2,497	5
5	255 x 38 x 76.2mm (R1S. 132 x 12) 10" x 1-1/2" x 3" (R1S. 5-1/4" x 1/2")	WA46-IV WA46-JV WA46-KV		32A46-IV				2,497	5
1	305 x 13 x 76.2mm 12" x 1/2" x 3"	WA46-KV WA60-KV		32A46-JV 32A60-JV 32A80-KV				2,087	10
1	305 x 13 x 127mm 12" x 1/2" x 5"	WA60-KV WA80-KV		32A60-KV 32A80-KV				2,087	10
1	305 x 19 x 76.2mm 12" x 3/4" x 3"	WA46-HV WA46-IV WA46-JV WA46-KV WA60-IV WA60-JV		32A46-HV 32A46-IV 32A46-JV 32A46-KV 32A60-IV 32A60-JV		3KG46-IV 3KG46-JV 5KG46-IV 5KG46-JV 5KG60-IV		2,087	5

For all type of tool steel

Shape	Size D x T x H	WA & MA		32A · 93A & PSA		KG - Ceramic Grain		Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code	Spec.	Products Code		
1	305 x 25 x 76.2mm 12" x 1" x 3"	WA46-HV WA46-IV WA46-JV WA46-KV WA60-HV WA60-IV WA60-JV WA60-KV		32A46-HV 32A46-IV 32A46-JV 32A46-KV 32A60-HV 32A60-IV 32A60-JV 32A60-KV		3KG46-HV 3KG46-JV 3KG60-HV 5KG46-HV 5KG46-IV 5KG60-HV 5KG60-JV		2,087	5
1	305 x 25 x 127mm 12" x 1" x 5"	WA46-HV WA46-IV WA46-JV WA46-KV WA60-HV WA60-IV WA60-JV WA60-KV		32A46-HV 32A46-IV 32A46-JV 32A46-KV 32A60-HV 32A60-IV 32A60-JV 32A60-KV		3KG46-HV 3KG46-JV 3KG60-HV 5KG46-HV 5KG46-IV 5KG60-HV 5KG60-JV		2,087	5
1	305 x 32 x 76.2mm 12" x 1-1/4" x 3"	WA46-IV WA46-K8V9N	YVW55018-	32A46-IV PSA46-H9V9N	YVS55033-			2,087	4
1	305 x 32 x 127mm 12" x 1-1/4" x 5"	WA46-J8V9N WA46-K8V9N WA60-J8V9N	YVW55049- YVW55004- YVX55011-	PSA46-H10V6NP2 32A46-H10V9GP1	YVS65001- YVH55009-			2,087	4
1	305 x 38 x 76.2mm 12" x 1-1/2" x 3"	WA46-IV WA46-JV WA60-JV		32A46-HV 32A60-HV		3KG46-IV 3KG60-HV 5KG46-IV 5KG60-HV		2,087	3
1	305 x 38 x 127mm 12" x 1-1/2" x 5"	WA46-HV WA46-IV WA46-J8V9N WA46-K8V9N WA60-IV	YVW55005- YVW55008-	32A46-H10V8N1P PSA46-JV12V7NP1 32A46-JP61V9GP1 93A46-H11V9N RA46-H11V9N	YVH65004- YVR55020-	3KG46-HV 3KG46-IV 3KG60-HV 5KG46-G13V9B 5KG60-HV	YVK56010-	2,087	3
5	305 x 38 x 127mm (R1S. 190 x 12) 12" x 1-1/2" x 5" (R1S. 7-1/2" x 1/2")	WA46-HV WA46-IV WA46-JV WA46-KV WA60-IV		32A46-H10V9GP1 32A46-IV 32A46-JV 32A60-HV 32A60-KV		3KG46-HV 3KG46-IV 3KG60-HV 5KG46-IV 5KG60-HV		2,087	3
1	305 x 50 x 127mm 12" x 2" x 5"	WA46-HV WA46-IV WA46-JV WA60-IV WA60-JV		32A46-HV 32A46-IV 32A60-HV 32A60-IV		3KG46-HV 5KG46-GV		2,087	2
7	305 x 50 x 127mm (R2S. 190 x 12)	WA46-HV WA46-IV WA46-JV WA60-IV WA60-JV		32A46-HV 32A46-IV 32A60-HV 32A60-IV		3KG46-HV 5KG46-GV		2,087	2
1	355 x 13 x 127mm 14" x 1/2" x 5"	WA46-KV WA60-KV WA80-KV		32A46-KV 32A60-KV 32A80-KV		5KG80-KV		1,793	5
1	355 x 19 x 127mm 14" x 3/4" x 5"	WA46-KV WA60-KV WA80-KV		32A46-KV 32A60-KV 32A80-KV		5KG80-KV		1,793	4

For all type of tool steel

Shape	Size D x T x H	WA & MA		32A · 93A & PSA		KG - Ceramic Grain		Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code	Spec.	Products Code		
1	355 x 25 x 76.2mm 14" x 1" x 3"	WA46-HV WA46-IV WA46-JV WA60-IV		32A46-HV 32A46-IV 32A46-JV 32A60-IV		5KG46-IV 5KG46-JV 5KG46-KV		1,793	4
1	355 x 25 x 127mm 14" x 1" x 5"	WA46-HV WA46-IV WA46-JV WA46-KV WA60-HV WA60-IV WA60-JV WA60-KV WA80-KV		32A46-HV 32A46-IV 32A46-JV 32A60-HV 32A60-IV 32A60-JV 32A80-JV		3KG46-HV 3KG46-JV 3KG46-GV 5KG46-HV 5KG46-IV 5KG60-IV 5KG60-JV		1,793	4
1	355 x 32 x 127mm 14" x 1-1/4" x 5"	WA46-JV WA46-KV WA60-JV		32A46-HV 32A46-IV 32A460-HV		3KG46-HV 5KG46-GV		1,793	3
1	355 x 38 x 127mm 14" x 1-1/2" x 5"	WA46-HV WA60-K8V6N WA60-J8V7N WA46-K8V9V 38A60K8V9N	YVX56005- YVX56035- YVW56008- YVT56001-	32A46-H9V9GPI 32A46-H9V9G 93A46-H11V9N PSA46-J12V7NP1	YVH66001- YVH56051- YVR56002- YVS56008-	3KG46-HV 5KG46-G13V9B	YVK56010-	1,793	2
5	355 x 38 x 127mm (R1S. 205 x 12) 14" x 1-1/2" x 5" (R1S. 8" x 1/2")	WA46-HV WA46-IV WA46-JV WA46-KV WA60-KV		32A46-HV 32A46-IV 32A60-JV		3KG46-HV 5KG46-GV		1,793	2
1	355 x 50 x 127mm 14" x 2" x 5"	WA46-HV WA46-J8V9N WA46-I10Y9Y MA46-H10V9Y	YVW56002- YVM56009-	32A46-H9V9GPI 32A46-H9V9G 32A46-JV 93A46-H11V9N	YVH66007- YVR56003-	3KG46-HV 5KG46-G13V9B	YVK56012-	1,793	2
5	355 x 50 x 127mm R1S. 205 x 25 (14" x 2" x 5") (R1S. 8" x 1")	WA46-HV WA46-JV		32A46-HV 32A46-IV 32A46-JV		3KG46-HV 5KG46-GV		1,793	2
7	355 x 50 x 127mm (R2S. 205 x 9) 14" x 2" x 5" (R2S. 8" x 3/8")	WA46-H11V9NP3 WA46-IV WA46-J8V9N	YWX76008- YWW76002-	32A46-HV PSA46-H10V3WP3 PSA46-J8V9N	YWS76006- YWP76002-	3KG46-HV 5KG46-GV		1,793	2
1	405 x 50 x 127mm 16" x 2" x 5"	WA46-K8V9N	YVW57003-	32A46-HV 93A46-H11V6NP3 PSA36-H11V9NP1 PSA36-H11V3WP1	YVR67002- YVS67002-	3KG46-HV 5KG46-G13V9B	YVK57001-	1,572	2
1	405 x 75 x 127mm 16" x 3" x 5"	WA46-H10V9NP3							
7	405 x 75 x 127mm (R2S. 205 x 13) 16" x 3" x 5" (R2S. 8" x 1/2")	WA46-H10V9NP3	YWX77001-	32A46-H10V9G 93A46-HV PSA36-HV PSA46-H10V9NP1	YWS77009-	3KG46-HV 5KG46-GV		1,572	1
5	455 x 38 x 203.2mm (R1S. 270 x 13) 18" x 1-1/2" x 8" (R1S. 10-1/2" x 1/2")			PSA46-I8V				1,399	1
1	510 x 25 x 203.2mm 20" x 1" x 8"			PSA46-H10V PSA46-I8V				1,248	1
1	510 x 25 x 254mm 20" x 1" x 10"			PSA46-H10V PSA46-I8V				1,248	1

For all type of tool steel

Shape	Size D x T x H	WA & MA		32A · 93A & PSA		KG - Ceramic Grain		Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code	Spec.	Products Code		
5	510 x 38 x 203.2mm (R1S. 292 x 13) 20" x 1-1/2" x 8" (R1S. 11-1/2" x 1/2")			PSA46-H10V PSA46-I8V				1,248	1
1	510 x 38 x 254mm 20" x 1-1/2" x 10"			PSA46-H10V PSA46-I8V				1,248	1
7	510 x 50 x 203.2mm (R2S. 292 x 13) 20" x 2" x 8" (R2S. 11-1/2" x 1/2")			PSA46-H10V PSA46-I8V				1,248	1
1	510 x 50 x 254mm 20" x 2" x 10"			PSA46-H10V PSA46-I8V				1,248	1
7	510 x 75 x 203.2mm (R2S. 292 x 13) 20" x 3" x 8" (R2S. 11-1/2" x 1/2")			PSA46-H10V PSA46-I8V				1,248	1
7	510 x 75 x 254mm (R2S. 310 x 16) 20" x 3" x 10" (R2S. 12-1/4" x 5/8")			PSA46-H10V PSA46-I8V				1,248	1
7	510 x 100 x 203.2mm (R2S. 292 x 25) 20" x 4" x 8" (R2S. 11-1/2" x 1")	WA46-G10V		PSA36-J10V PSA46-H10V PSA46-I8V				1,248	1
7	510 x 100 x 254mm (R2S. 310 x 25) 20" x 4" x 10" (R2S. 12-1/4" x 1")	WA46-G10V		PSA36-J10V PSA46-H10V PSA46-I8V				1,248	1
7	510 x 150 x 254mm (P310, F25, G50) 20" x 6" x 10" (P12-1/4", F1", G2")	WA36-I10V WA46-I10V		PSA36-J10V PSA46-H10V PSA46-I8V				1,248	1
1	510 x 150 x 304.8mm 20" x 6" x 12"	WA36-I10V WA46-I10V		PSA36-J10V PSA46-H10V PSA46-I8V				1,248	1
7	510 x 150 x 304.8mm (R2S. 370 x 25) 20" x 6" x 12" (R2S. 14-1/2" x 1")	WA36-I10V WA46-I10V		PSA36-J10V PSA46-H10V PSA46-I8V				1,248	1
7	510 x 205 x 304.8mm (R2S. 370 x 25) 20" x 8" x 12" (R2S. 14-1/2" x 1")	WA36-I10V WA46-I10V		PSA36-J10V PSA46-H10V PSA46-I8V				1,248	1

For Non-Ferrous Metals

Shape	Size D x T x H	C - For Non-Ferrous Metals		GC - For Tungsten Carbide		Spec.	Products Code	Max. rpm	Min./Std. Packing
		Spec.	Products Code	Spec.	Products Code				
1	180 x 13 x 31.75mm (7" x 1/2" x 1-1/4")	C46-J6V3G	YVC52001-	GC90-H9V6G	YVG52007-			3,600	5
1	355 x 50 x 127mm (14" x 2" x 5")	C46-I8V3G	YVC56013-					1,793	2